ANDROPOV, K.P.; KOROL'KOV, H.P.; CHEREPANOV, A.P.; KONKIN, P.I., redaktor; SRIBNIS, N.V., tekhnicheskiy redaktor

[Armored troops of the U.S.Army; a collection of articles from American military journals. Abridged translation] Bornetankovye voiska armii SShA; sbornik statei is amerikanskikh voennykh zhurnalov. Sokrashchennyi perevod. Moskva, Voen.izd-vo Ministerstva obor. SSSR, 1956. 336 p. (MIRA 10:1) (United States-Tanks (Military science))

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"

SOV/94-58-10-4/?0

: ROHTUA

Goryunov, D.I., Engineer Korol'kov, N.S., Technician

TITLE:

A Circuit for Automatic Switching of Stand-by Supply for High-Power Synchronous Motors (Skhema AVR pitaniya sinkhronnykh dvigateley bol'shoy moshchnosti)

PERIODICAL: Promyshlennaya Energetika, 1958, Nr 10, pp 10-12 (USSR)

ABSTRACT:

In the mamufacture of soda there must be no interruption in the supply of water. Technical particulars are given of the 1700 kvA, 6.3 kv synchronous motor used to drive the pumps. Supply failure often caused pump shut down although standby supply was available. After reading the article by G.R.Miller in Promyshlennaya Energetika 1956, Nr 7, the author attempted to use the recommended circuit for automatic switching of standby supply but it was not found possible to maintain synchronous operation of the motor with this circuit. A new circuit was accordingly designed for this purpose, a circuit diagram is given. When current falls in the stator of the synchronous motor the excitation is suppressed for a certain time; the system only operates if

Card 1/2

SOV/94-58-10-4/20

A Circuit for Automatic Switching of Stand-by Supply for High-Power Synchronous Motors

voltage is present on the reserve supply; with a time delay of half a second the motor will pull into synchronism against full load. The operation of the circuit is explained. The circuit has been introduced on the synchronous motors driving the pump, it has worked well in practice and has ensured an uninterrupted supply of water. There is I figure.

ASSOCIATION: Sterlitamakskiy sodovo-tsementnyy kombinat (The Sterlitamak Soda-Cement Combine)

Card 2/2

TOROPOV, V.S.; KOROL!KOV, N.Y., kand. tekhn. nauk, otv.red.; ORLOVA, I.A., red.; KORKINA, A.I., tekhn.red.

[Use of an "Ideal" hysteresis loop of ferromagnetic materials in magnetic memory systems] Primenenie "ideal'noi" petli gisterezis ferromagnetikov v magnitnykh zapominaiushchikh ustroistvakh. Moskva, Vychislitel'nyi tsentr AN SSSR, 1962. 32 p.


(Magnetic memory (Calculating machines))

AVDEYENKOVA, L.M.; KOROL'KOV, N.V.; ORLOVA, I.A., red.; KORKINA, A.I., tekhn. red.

[Calculation of magnetic ferrite and diode elements and analysis of their operation for use in digital computers]
Analiz raboty i raschet magnitnykh ferrit-diodnykh elementov dlia tsifrovykh vychislitel'nykh mashin. Moskva, Vychislitel'nyi tsentr AN SSSR, 1962. 209 p. (MIRA 15:10)

(Electronic digital computers—Circuits)

(Electric networks)




How foreign fabrics; from the pages of foreign journals. Tekst.
prem. 16 me.3:18-20 Mr '56. (MIRA 9:6)

(Textile fabrics)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"

UA-300 au Je 158.	Tomatic weft-spooling mac	hine. Tekst. prom. 1	.8 no.6:24-25 (MIRA 11:7)
	(Cotton machinery)		(, , , , , , , , , , , , , , , , , , ,
•			




KOROL'KOV, N.V. KOKOREV, V.A., insh.; ZELENSKAYA, G.G., kand. tekhn. nauk

From the Manchester Textile Machinery Exhibition. Tekst. prom.
19 no.9:67-80 S '59. (MIRA 12:12)

(Manchester—Textile machinery—Exhibitions)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"

Trends in the improvement of carding machines. Tekst.prom. 20 no.10:77-80 0'60. (MIRA 13:11)



KOROL'KOV, N.V.

MM-200-2 machine for washing fabrics in the rope. Tekst. prom. 21
no. 4150 Ap '61. (MIRA 1417)

(Washing machines) (Textile industry—Equipment and supplies)

(MIRA 17:1)

AVDEYENKOVA, L.M.; KOROL'KOV, N.V.; MAKSIMOVA, V.N.; TREFILOV, V.I.; ORLOVA, I.A., red.; KORKINA, A.I., tekhn. red. [Large-capacity (permanent) memory devices for digital computers; some design principles] Dolgovremennye (postoiannye) zapominaiushchie ustroistva dlia TsVM; nekotorye printsipy postroeniia. Moskva, VTs AN SSSR,

1963. 53 p. (Electronic calculating machines--Memory systems)

GRABLEV, A.S.; KOROL!KOV, N.V., kand. tekhn.nauk, otv. red.; ORLOVA, I.A., red.; KORKINA, A.I., tekhn. red.

[High-speed ferrite diode elements with a.c. power supply for electronic digital computers] Bystrodeistvuiushchie ferrit-diodnye elementy s pitaniem peremennym tokom dlia TsVM. Moskva, Vychislitel'nyi tsentr AN SSSR, 1963. 63 p. (MIRA 17:1)

MONASTYRSKAYA, M.S.; KOROL'KOV, N.V.; SAUTIN, B.V.; KALASHNIKOV, V.G.

Use of L-7 and SKS-30-1 latexes in the manufacture of artificial

Kozhmatol leather. Kozh.-obuv. prom. 6 no.12:15-19 D *64 (MIRA 18:2)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"

Korol'Kov, N.v.; Lasher Lova, L.v.: Callet al 1922, 1.1.

Introducing equipment for processing observed rose fibers.
Blul.tekh.ekon.inform.Gos.nauch.elsol.inst.tauch.l tekh.inform.
18 no.4:44-47 Ap '65.

(MIRA 18:6)

KOROL'KOV, N.V.


Introducing the VN-30-E6 high-speed spindles. Biul.tekh.-ekon. inform.Gos.nauch.-issl.inst.nauch.i tekh.inform. no.8:35-36 Ag 165. (MIRA 18:12)

KOROL'KOV, N.V.

Introducing a unit for overall finishing of hosiery. Biul.tekh.ekon.inform.Gos.nauch.eissl.inst.nauch.i tekh.inform. 18 no.11:47-49 N *65.

(MIRA 18:12)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"



"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824820013-3

SOURCE CODE: :UR/0193/65/000/012/0049/0050 46268-66 (A) ACC NR. AP6013098 AUTHOR: Korol'kov, N. V. ORG: None TITLE: The ASN-1800-K unit for stretching and drying of leather SOURCE: Ryulleten' tekhniko-ekonomicheskoy informatsii, no. 12, 1965, 49-50. TOPIC TAGS: leather industry machinery, industrial drier / ASN-1800-K leather drier | ABSTRACT: A description of a new ASN-1800-K drier for treatment of chrome pigskins is presented. The drier is manufactured by the Orlovakiy Machine-Building Plant im. Medvedev. A method combining heat conduction and heat convection processes is used for drying leather skins folded over the edge of a structural frame which is enclosed between two vertical duralumin side plates. A hollow space is formed between the plates. The leather folds being glued to the plates are in close contact with the exterior plate surfaces while the interior surfaces are heated by the hot air which is blown downwards through the bollow space. After leaving the space through the bottom outlets, the hot air rises on both sides of the structure and heats the leather by convection. The ASN-1800-K consists of a tunnel-like chamber equipped with 137 movable leather-carrying frames, a conveyor and air-blowing system as well as with devices for stretching, glueing and cleaning of leather. Hot air is heated up to 105 C. Consumption of air is 19000 cu

UDC: 675.02.021

Card 1/2


L 46268-66

ACC NR. AP6013098 APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3 m/hr and of steam is about 255 kg/hr. From 63 to 95 akins can be handled per hour. Time of drying is about 1.8 hr. Conveying and handling of leather-carrying frames inside the chamber is explained. A general view of the chamber is shown in a photo. The essential data on the ASM-1800 unit are sussed up in a table. Orig. art. has: 1 photo and l table.

SUB CODE: 13, 11/ SUBM DATE: None

RASSOKHIN, G.I.; KOROL'KOV. N.V., kand. tekhn. nauk, otv. red.; ORLOVA, I.A., red.

[Method for the synthesis of logical networks using inhibitor elements with multiple inputs] Metod sinteza logicheskikh skbem ne elementakh zapreta so mnogimi vkhodami. Moskva, Vychislitel'nyi tsentr AN SSSR, 1965. 27 p. (MIRA 18:7)



TOROPOV, V.S. KOROL'KOV, N.V., kand.tekhn.nauk, otv.red.; ORLCVA. I.A., red.;

[Some problems in magnetic polarity reversal in ferrites in particular cycles of the hysteresis loop]. Nekotorye voprosy peremagnichivaniia ferritov po chastnym tskiklam petli gisterezisa. Moskva, 1964. 21 p. (Akademiia nauk SSSR. Vychislitel'nyi tsentr. Soobshcheniia po vychislitel'noi tekhnike, no. 3) (MIRA 17:6)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"

KOROL'KOV, N. V. Cand. Tech. Sci.

Dissertation: "Development and Examination of the Experimental Installation (Electrointegrator) for Approximate Solution of a System of Plain Linear Differential Equations with Constant Coefficients." Power Engineering Inst imeni G.M. Krzhizhanovskiy, Acad Sci USSR, 12 Jul 47.

SO: Vechernyaya Noskva, Jul, 1947 (Project #17836)

Dept. Tech. Sci., Acad. Sci. (Mor., Lab. Electric Modelling, Inst. Fine Mech. & Computing Technol., -1948-; C nd. Technical Sci. Electrical Engineering, Computing Machines.

KOROL'KOY, N. Y.

"An instrument for solving systems of linear differential equations by the method of electrical analogues", by Engineer N. /. horol'kov, by the Power Engr. Inst. im KRZHIZHANOVSKIY of the Acad. Sce. USSR.

Stalin 3rd Frize, 1947, electric integrator.

SO: Elektrichestvo; No 5, Moscow, May 1947 (U-5533)

Korol'Kov, N.V.


Korol'kov, N. V. The results of the development and test-ing of an experimental apparatus for the solution of systems of differential equations. Bull. Acad. Sci. URSS Cl. Sci. Tech. [Izvestia Akad. Nauk SSSR] 1047, 585-596 (1947). (Russian)


596 (1947). (Russian)
On the basis of previous theoretical work, chiefly by Gutenmaher, a small electronic differential analyzer for ordinary differential equations with constant coefficients has been built. Graphical solutions are presented on an oscilloscope. Considerable flexibility of equation set-up exists and much of standard differential-analyzer technique is available. An example is furnished by the expedient of replacing the second-order equation $u_1 + \omega^* u_1 = kt$ (initial conditions $u_1(0) = \dot{u}_1(0) = 0$) by the set of simultaneous first-order equations $\dot{u}_1 = u_1$, $\dot{u}_2 + \omega^* u_1 - u_3 = 0$, $\dot{u}_1 - u_4 = 0$, $\dot{u}_4 = 0$ (initial conditions $\dot{u}_1(0) = \dot{u}_2(0) = u_1(0) = 0$, $\dot{u}_1(0) = k$); the purpose of the last two equations, in u_3 and u_4 , is of course to generate $u_4 = kt$. Oscillograms are given for the solution of this problem, as of others that are more complicated. The accuracy is as good as 2% in simple cases.


11. Wallman.


Source: Nathematical Reviews,

1948 Yol G No.










KCROL'KOV, N. V., Cand. in Tech. Sci.

"Use of Ferrite Cores in Computer Engineering" a paper presented at the Conference on Methods of Development of Soviet Mathematical Machine-Biilding and Instrument-Building, 12-17 March 1956.

Translation No. 596, 8 Oct 56

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"



16.6800

Korol'kov, N.V., Candidate of Technical Sciences, Senior AUTHOR:

TITLE:

A Magnetic Generator of Single-polarity Current Pulses

for Feeding Magnetic Elements

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Elektromekhanika 1959, Nr 4, pp 28 - 45 (USSR)

ABSTRACT: Low-voltage operation of magnetic elements such as are used in computers is desirable since design problems are eased. The generator considered here converts a sinusoidal supply into rectangular pulses and is shown in Figure 1. It differs from the arrangement described in Ref 3 in producing a train of low occupancy and permitting the direct biasing current to flow through the load. The capacitor

blocks off direct current from the AC source; capacitor

is for correcting the power-factor. The magnetization characteristic assumed is in Figure 2 and the mechanism of pulse-formation in Figure 3. The occupancy may be found from Eq (18). The occupancy is increased by increasing the number of AC turns on one core and reducing the DC turns

Card1/4

A Magnetic Generator of Single-polarity Current Pulses for Feeding Magnetic Elements

on the other. The steepness of the pulse front is determined by the source voltage U and the total AC inductance L and is expressed in core parameters in Eq (27). Compensation for the voltage drop across the series capacitor C₁ may be calculated from Eq (28);

the small phase-shift introduced may be neglected. The most significant influence on phase-shift arises from the load voltages which delays the changeover time. The total number of magnetic elements which can be fed from one source before time-delays become intolerable may be calculated from Eq (29). The associated formulae for induction-increment and minimum number of turns are that following Eqs (29) and (30, 31). If the magnetization curve is not ideal distortion will be observed at the top of the pulse and in the space between pulses. If hysteresis is present then a 'step' will appear whose magnitude is (32). The effect of the load voltage drop on the circuit behaviour can be represented as an interval resistance

Card2/4

SOV/144-59-4-3/13

A Magnetic Generator of Single-polarity Current Pulses for Feeding Magnetic Elements

 R_1 (Eq 39). When the magnetic circuit is optimally designed the value is Eq (40), which increases with supply voltage and turns per unit length of magnetic path. The value of the correct power-factor correction capacitor is Eq (41). The efficiency of the generator depends almost entirely on core losses and is Eq (49). Figure 5 shows the effect on the waveform of inadquate control-circuit inductance, the load current being Eq (59). The inductance required for a given distortion is Eq (62). The method of design on p 40 assumes a toroidal core of outside diameter D, given by Eq (67) and the rest of that section is an example of generator design for 50 kc/s with a rise-time of 2 μ s, output of 5.5 A and 75 V for 3 μ s. The internal resistance is 13.5 kh., $C_0 = 0.075 \ \mu\text{F}$ and the control circuit inductance

for 5% distortion is 2.7 mH. Figure 6 is the voltage (120 V) and Figure 7 the current in an experimental model. Figure 8 shows the effect of increasing the repetition frequency to 100 kc/s. Figure 9 is an enlarged representation

Card3/4

W

CIA-RDP86-00513R000824820013-3

66541

SOV/144-59-4-3/13 A Magnetic Generator of Single-polarity Current Pulses for Feeding Magnetic Elements

> of the "space" interval. Figure 10 shows operation at 300 kc/s. Experience extending over a year at the electrical modelling laboratory of the VINITI of the Ac.Sc. USSR has shown that successful control of several hundreds of elements is possible. Yu.M. Sidorin is thanked for assistance in experimental work. There are 10 figures and 3 references, of which 2 are Soviet and 1 English.

ASSOCIATION: Laboratoriya elektromodelirovaniya VINITI GNTK Soveta Ministrov SSSR i AN SSSR (Laboratory of Electric Modelling

of VINITI GNTK of Council of Ministers USSR and Ac.Sc. USSR)

SUBMITTED: March 25, 1959

Card 4/ 4

C SUR/100 DISASTED TO SO I TAME	And Myster Administrating desichertvo realiceateniti i stateroarpas in. 100 int all figures (100 int all figures rendening A.d. Papers realistrate sessive (On Endrett) Ind-re AS SOR, 1200, 110 p. Breis all insured; Session) [Noncor] Sed-re AS SOR, 1200, 110 p. Breis all insured. P. So copies printed.	Chief Mair Ante Mandes Annehalicies; Miltorial Danck: G.B. Dardas, A.B. 701'yerr, J.D. Der German, L. E. December, S.J. Orrycker, A.B. 701'yerr, A.L. Engels, M.S. Morney, L. Ersellin, M.S. Morney, M.S. Miltory and M.S. Chryster, M.S. Challin, Manner: M.S. German, F.J. Miltory and M.S. Chryster, M. G. Palinkin, M. M. Miltory, M.S. Miltorian, M. M. Markette, M. G. Palinkin, M. M. Miltorian, at represent a relation of representations and contactions and contactions	The separa included in this collectin ware schilled at the extension; and is 1979 by the Hemisteric collectin ware schilled at 1999 by the Hemisteric collection and collection of the selection of the second collection of	Engineering and Discountination Lead A.S. Super) is communicate of the order and the control of	in Property (Cont.)	Mandars, V.V. and B.J. Drehmer, Current Autocorrelation of the Voice 200 Mignal. Aratymor, M.G. "Perrographic" Oscillography 235	Settimather, L.T. Herrical Similation as a New Branch of Badio 245 Lord Line Land L. L. Gerrico. Night-Speed Nametic Components of 265 Night-Speed State of 175. Gerrico. Night-Speed Nametic Components of 265	Organics, S.J., L.S. Lawinshiy, and M.A. Teibrov. An Operating Magnetic Storage Mith Magnetic Control. Number: B.V. Trans Supercritics Control.	64) A The same of	
1							11 \			

9.7100

S/194/61/000/008/012/092 D201/D304

AUTHORS:

Korol'kov, N.V. and Gavrilov, V.S.

TITLE:

Fast acting choke-type magnetic elements

PERIODICAL:

Referativnyy zhurnal. Avtomatika i radioelektronika, no. 8, 1961, 19, abstract 8 B181 (V sb. 100 let so dnya rozhdeniya A.S. Popova, M., AN SSSR, 1960, 263-270)

TEXT: The possibility is envisaged of increasing the speed of operation and decreasing the power consumption of magnetic elements installations by means of reversing the polarity of magnetization not of the whole but of a part of the cycle of magnetizing characteristic. The following circuits are considered using choke-type elements: Binary register circuit, NOT, OR, AND, different polarity, four-input adder and a choke-coupled magnetic amplifier using a single choke-type core. Results are given of certain experiments carried out with the above elements. 9 figures. 8 references.

Abstracter's note: Complete translation

Card 1/1

S/030/60/000/04/20/028 B022/B007

AUTHORS:

1) and 3) None given; 2) Korol kov. N.V.

TITLE:

News in Brief

PERIODICAL:

Vestnik Akademii nauk SSSR, 1960, No. 4, pp. 135-137

TEXT: 1) The plan of a scientific cooperation between the Academy of Sciences of the USSR and the Academy of Sciences of China was signed on February 20 at the Presidium of the Academy of Sciences of the USSR and precisely defined in discussions of delegations of the two Academies from February 9 to February 20. On the part of the Academy of Sciences of China the following persons took part in the discussions: The Chief Secretary of the Academy of Sciences of China Pey Li-shen (Head of the Delegation), the Deputy Head of the Department of Physical and Mathematical Sciences and of Chemical Sciences Yun Tszi-tsyan, the Counselor of the Embassy of the Chinese People's Republic to the USSR Khuan I-zhan', the Director of the Institute of Physics Shi Zhu-vey, the Deputy Director of the Institute of Calculation Technique Yan'Pey-lin', and the Deputy Head of the Planning Administration of the Academy of Sciences of China Van Chzhi-khua. The members of the delegation of the Chief Deputy Scientific Secretary of the Presidium of the

Card 1/3

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824820013-3

News in Brief

S/030/60/000/04/20/028 B022/B007

Academy of Sciences of the USSR, Corresponding Member of the AS USSR Ye.K. Fedorov (Head of the Delegation), the Deputy Director of the Fizicheskiy institut im. P.N. Lebedeva (Physics Institute imeni P.N. Lebedev), Doctor of Physical and Mathematical Sciences N.G. Basov, the Deputy of the Academic Secretary of the otdeleniye geologo-geograficheskikh nauk (Department of Geological and Geographical Sciences), Corresponding Member of the AS USSR I.I. Gorskiy, the Deputy of the Academic Secretary of the otdeleniye istoricheskikh nauk (Department of History), Corresponding Member of the AS USSR A.A. Guber, Academician M.I. Kabachnik, the member of the Bureau of the otdeleniye fizichesko-matematicheskikh nauk (Department of Physical and Mathematical Sciences), Corresponding Member of the AS USSR E.R. Mustel, Deputy Director of the institut tochnoy mekhaniki i vychislitel noy (Institute of Precisionmechanics and Calculation Technique), Candidate of Physical and Mathematical Sciences I.S. Mukhin, the member of the Bureau of the otdeleniye biologicheskikh nauk (Department of Biological Sciences), Corresponding Member of the AS USSR Yu. A. Orlov, Corresponding Member of the AS USSR V.I. Siforov, the Director of the otdeleniye stran narodnoy demokratii Akademii nauk SSSR (Department for the Countries of the People's Democracies of the Academy of Sciences, USSR), Candi-

Card 2/3

News in Brief

S/030/60/000/04/20/028 B022/B007

date of: Historical Sciences S.I. Prasolov and his Deputy I.N. Kiselev. In accordance with the agreement, the two partners undertake to carry out an equivalent exchange of about one hundred scientific collaborators per month in 1960. The Academy of Sciences of the USSR further undertakes to train about 100 postgraduate students, trainees, and assistants, to be delegated by the Academy of Sciences of China. The agreement was signed by Ye.K. Fedorov and Pay Li-shen. 2) A scientific-technical conference on electronic computers was held by the Roumanian Academy of Sciences from January 13 to January 15 at Bucharest, which was attended also by guests from the Soviet Union, Eastern Germany, and Hungary. The conference was opened by the Vice-president of the Roumanian Academy of Sciences I.S. Gheorghiu. Lectures were delivered by G. Moisil, T. Popovich (Director of the Institute of Computation Technique), V. Tom, S. Shekhter, I. Papadakhe, U. Kammerer (Eastern Germany), P.P. Golovistikov (USSR), L.I. Gutenmakher, and N.V. Korol'kov (USSR). 3) The new illustrated popular science periodical "New Crient", which is published by the Czechoslovakian Society for Prientalogy, is briefly characterized and extracts of the contents of the first (February) number are given.

Card 3/3

AVDEYENKOVA, L.M.; KOROL'KOV, N.V.; ORLOVA, I.A., red.; KORKINA,
A.I., tekhn. red.

[Diodeless magnetic elements using circular cores] Bezdiodnye magnitnye elementy na kol'tsevykh serdechnikakh. Moskva, Vychislitel'nyi tsentr AN SSSR, 1963. 72 p.

(Pulse circuits) (MIRA 16:6)

(Electronic computers—Circuits)

TOROPOV, V.S.; KOROL'KOV, N.V., kand. tekhn. nauk, otv. red.;
ORLOVA, T.A., red.; KORKINA, A.I., tekhn. red.

[Use of multiple-hole cores in operative memory devices]
Ispol'zovanie mnogodyrochnykh serdechnikov v operativnykh
zapominaiushchikh ustroistvakh. Moskva, VTs AN SSSR, 1963.

40 p. (Cores (Electricity))
(Magnetic memory (Computers))

MILOVZOROV, Vladimir Petrovich; SOTSKOV, B.S., retsenzent; MITYUSHIN, F.F., dots., retsenzent; RAKHMANOV, V.F., dots., retsenzent; NEGNEVITSKIY, I.B., dots., retsenzent; KOROL'KOV, N.V., kand. tekhn.nauk, red.

[Electromagnetic techniques] Elektromagnitnaia tekhnika. Moskva, Energiia, 1964. 511 p. (MIRA 17:12)

1. Chlen-korrespondent AN SSSR (for Sotskov). 2. Kafedra vychislitel'noy tekhniki i elementov vychislitel'noy tekhniki Moskovskogo aviatsionnogo instituta im. S.Ordzhonikidze (for Mityushin, Rakhmanov). 3. Moskovskiy energeticheskiy institut (for Negnevitskiy).

L 075hh-67 EWP(1)/EWI(m) IJP(c) RN SOURCE CODE: UR/0323/65/000/006/0028/0031

AUTHOR: Korol'kov, N. V. (Engineer); Pavlov, S. A. (Dr. of technical sciences; Prof.)

ORG: Moscow Technological Institute of Light Industry (Moskovskiy tekhnologicheskiy institut legkoy promyshlennosti)

TITLE: Synthesis of hexamethylene-bis-iminoacetic acid for preparation of polyamides used in the production of artificial leather. 1. Study of condensation of methyl monochloroacetate with disodium hexamethylenediamine

SOURCE: IVUZ. Tekhnologiya legkoy promyshlennosti, no. 6, 1965, 28-31

TOPIC TAGS: synthetic material, leather, chemical synthesis, hexamethylenediamine, condensation reaction, methyl acetate

ABSTRACT: A reaction proposed for preparing alkyl esters of hexamethylene-bis-imino-acetic acid and the latter by hydrolysis did not give the expected results. The synthesis was studied to find routes more convenient than the hydrolysis of nitriles, obtained by condensation of diamines, ketones, or aldehydes and hydrocyanic acid. The solution of 23 g Na in 350 ml methanol reacted under reflux with 58 g hexamethylene-diamine to give disodium hexamethylenediamine (NaHN (CH₂)₆NHNa). After washing and

drying, 165 g of the precipitate was added to a stirred and ice-cooled vessel containing 210 g methyl monochloroacetate and reacted 1.5 hr at room temperature. Mixing

Card 1/2

ւ I 075կկ-67 | ACC NR<mark>APPROVED FOR RELEASE: 06/14/2000 , CIA-RDP86-00513R0008248200</mark>13-3

with chloroform and water, extraction with chloroform and crystallization gave a product of 101—103C mp, and after hydrolysis with acid or basic agents a compound tentatively identified by elemental analysis as ClCH2CONH(CH2)6NHCOCH2Cl. Thus, the re-

action with methyl monochloroacetate proceeds via cleavage of ester and formation of amide bonds and cannot be used for the synthesis of hexamethylene-bis-iminoacetic acid. Orig. art. has: 3 formulas.

SUB CODE: 07/ SUBM DATE: 27Feb65/ ORIG REF: 002/ OTH REF: 004

Cord 2/2)110

38365-66 EWT(m)/EWP(1) ACC NRI AP6019943

SOURCE CODE: UR/0323/66/000/001/0033/0036

AUTHOR: Korol'kov, N. V. (Engr.); Pavlov, S. A. (Prof.; Dr. of Technical Sciences)

ORG: Department of Technology of Polymer Film Materials and Artificial Leather, Moscow Technological Institute of the Light Industry (Kafedra tekhnologii polimernykh plenochnykh materialov i iskusstvennov kozhi Moskovskogo tekhnologicheskogo instituta

TITIE: Synthesis of hexamethylene-bis-iminoacetic acid for the purpose of obtaining polyamides for artificial leather production. Report No. 2: Study of the reaction between the disodium derivative of hexamethylenediamine and monochloroacetamide

SOURCE: IVUZ. Tekhnologiya legkoy promyshlennosti, no. 1, 1966, 33-36

TOPIC TAGS: organic amide, hexamethylenediamine, hydrolysis, organic imine compound

ABSTRACT: The reaction of the disodium derivative of hexamethylenediamine with chloroacetamide was carried out by preheating the two reactants in solution, then cooling the reaction vessel once the reaction had started. The reaction is

$$2H_1NOC - CH_2 - CI + NaHN - (CH_1)_0 - NHNa \rightarrow H_2NOC - CH_2 - NH - (CH_1)_0 - NH - CH_2 - CONH_1 + 2NaCl.$$

Multiple recrystallization from hot CCL, produced hexamethylene-bis-iminoacetic acid

Card 1/2

ACCESSION NR: AP3000230

AUTHOR: Korol'ov, O. M.

TITLE: Role of Coulomb interaction in the (d, p)-reaction of SOURCE: Ukraying'kyy fizychnyy zhurnal, v. 8, no. 5, 1963, 523-531

TOPIC TAGS: Coulomb interaction, perturbation theory, Butler peak, deuteron proton, angular distribution, Coulomb integral, reaction, proton wave, Born approximation, deuteron-proton reaction

ABSTRACT: The (d, p)-reaction in the Born approximation of the perturbation theory is examined. The energy of the incident deuterons is assumed to be so high that the initial deuteron and final proton waves are not distorted by the nuclear and Coulomb interaction potentials, and these interactions are considered as perturbations. An expression $ds(\mathcal{Y}) = \frac{8\pi \frac{M^*}{p} \frac{M^*}{d}}{\frac{p}{l}} \frac{(2j+1) \frac{1}{l_0} \frac{M^2}{l_0} (K, R) d\Omega_{p}}{\frac{p}{l}}$ is derived

Butler peaks in the angular angles. In addition, owing there should be a less distithe Butler distribution. A Orig. art. has: 31 equations	of protons of the (d,p)-reaction, ance for this interaction leads to the distribution and their displacement to the increase in the contribution and picture of angular distribution calculation of some Coulomb integration. *ky* AN UkrSSR (Institute of Physic	he widening of the toward large with large angles, as compared to ls is appended.
SUBMITTED: 09 Nov 62	DATE ACQ: 18 Jun 63	ENGL: 00
SUB CODE: NS, PR	NO REF SOV: 000	OTHER: 003
2/2		

84057

s/147/60/000/003/016/018 E031/E420

26,4300

TITLE

Korol kov, O.N.

AUTHOR:

On the Calculation of the Cargo Deck of an Aircraft

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Aviatsionnaya tekhnika, 1960, No.3, pp.110-123

The calculation is simplified by neglecting the elasticity of the transverse beams. Thus the longitudinal beams can be assumed continuous and lying on an absolutely rigid foundation, which in its turn rests on the elastic fuselage. The torsional deformation of the fuselage is negligibly small by comparison with the bending deformation. The rigidity of the fuselage and a representative beam of the deck are taken as constant along their The transverse beams and the walls have very small rigidity in torsion. The transverse beams take no loads parallel to the axis of the fuselage. The attachment of a representative longitudinal beam of the deck to the fuselage is represented as an The fuselage and absolutely rigid column with hinges at its ends. wing are joined by spars at two points. The method of forces is used to solve the statically indeterminate problem which arises. The system of canonical equations degenerates into a system of Card 1/4

84057

s/147/60/000/003/016/018 E031/E420

On the Calculation of the Cargo Deck of an Aircraft These equations are solved by equations with three terms in each. Taking the equations to be of the form the method of Ref.1.

$$a_{i,i-1}^{x_{i-1}} + a_{ii}^{x_i} + a_{i,i+1}^{x_{i+1}} = b_i$$

influence numbers $\lambda_{i,j}$ are introduced so that we have

where numbers
$$\lambda_{ij}$$
 are likely $\lambda_{ii}b_{i} + \dots + \lambda_{in}b_{n}$, $\lambda_{in}b_{n} + \dots + \lambda_{in}b_{n} + \dots$

With the aid of functions k_{ij} of the coefficients a_{ij} , first the "diagonal" influence numbers λ_{ij} and then the remaining influence numbers are calculated. In the case of equal have between the beams, tables of the influence numbers can be prepared. Since the influence numbers diminish rapidly with distance from the diagonal, it is sufficient to retain only a few terms on either side of the diagonal to solve a system of equations with a large If the difference between the lengths of the bays and the mean is large, the method of successive approximations can be used, starting with the assumption of bays of equal length. The particular case is considered of the equations when the bending moment diagram Card 2/4

CIA-RDP86-00513R000824820013-3 APPROVED FOR RELEASE: 06/14/2000

5/147/60/000/0038/097/018 E031/E420

On the Calculation of the Cargo Deck of an Aircraft

for the fuselage consists of segments of straight lines and each bay has the same loading. In this case a set of finite difference equations are obtained and solved in the usual way. longitudinal beams are loaded alike and have equal rigidities, the bearing moments of a representative beam are divided equally between the separate longitudinal beams, but for unlike rigidities the additional bearing moment caused by the elasticity of the fuselage is divided among the longitudinal beams in proportion to their rigidities. An example is considered of a deck consisting of 35 ribs with a uniformly distributed load where the ratio of the rigidities of the deck beams and fuselage is 1/1000. fuselage are joined at the 20th and 24th ribs. The wing and diagrams are drawn. Bending moment The conclusions are summarised as follows: The influence of the elasticity of the fuselage on the performance of the longitudinal beams of the deck must be calculated. calculation of the elasticity of the fuselage in the case of transverse beams of infinitely large rigidity is sufficiently simple with the aid of the tables of influence numbers. continuous longitudinal beam in rigid fixed supports is always Card 3/4

KOROL'KOV, O.N. Designing the feight floor of an airplane. Izv.vys.ucheb.zav.; av.tekh. 4 no.3:78-88 '61. (MIRA 14:8) 1. Kuybysheyskiy aviatsionnyy institut, kafedra konstruktsii i proyektirovaniya samoletov. (Airplanes—Design and construction)

KOROL'KOV, P. M.	
Solidification of Metals; () Trans. of 2nd Conf. on Theory of Foundry Processes, (1956) Moscow, Mashgiz, 1958, 532pp. Chukhrov, M.V., Candidate of Technical Sciences. Investigation of the Process of Crystallization of Magnesium-alloy Ingots	413
Rabinovich, B.V., Candidate of Technical Sciences. Experimental Investigation of the Solidification of White-Iron Ingots and the Determination of the Dimensions of Side Risers	428
Korol'kov, P.M., Candidate of Technical Sciences. Effect of Alloy Composition on Shrinkage Phenomena and Crack Formation in the Solidification of Castings	446
Neymark, V.Ye., Candidate of Technical Sciences. Obtaining Cast Products by the Vacuum-Crystallization Method	4.65
Smirnova, K.N., Engineer. Production of Steel Blanks by Compression During the Crystallization Process	480
Medvedev, Ya.I., Engineer. Formation of Cold Shuts in Heavy Castings and Calculation of the Metal-pouring Rate	484
Card 7/8	


Spring Wheat Seeds by Sorting

ORIG. PUB.: Zap. Voronezhsk. s. kh. in-ta, 1957, 27, No.2, 149-154

APPROVED FOR KEURASE 206/14/2000 CIA-RDP86-00513R000824820013-3

1/1 CARD:

KOROL'KOV, P. T., Cand of Agric Sci -- (diss) "Special Features of the Basic Procedure of the Pre-seeding Processes of Veneralized Wheat Seeds on its Harvestability Qualities," Voronezh, 1959, 19 pp (Voronezh Agricultural Institute) (KL, 5-60, 128)



Owners of a fox nursery. Sov. profesiuzy 17 no.15:44-45 Ag '61.
Ag '61.
(Conduct of life)

(Conduct of life)

The laboring class has helped. Sov. profsoiuzy 17 no.13:9-11
Jl '61.


(Leningrad—Electric industry workers)


(Rozhdestveno (Leningrad Province))--Collective farms)

VERKHOVSKIY, I.M., prof.; KOROL'KOV, S.N., kand. tekhn. nauk

Using electronic methods for automatizing the separation of rocks from large and medium-size coal classes. Izv. vys. ucheb. zav.; gor. zhur. 6 no.10:93-100 '63. (MIRA 17:2)

1. Moskovskiy institut radioelektroniki i gornoy elektrotekhniki.





ZHMYKHOV, I.W.: KOROLLYGW LA.: KRAYHOV, P.A.: ZHELEZHOVA, L.K., redaktor;
RAKOV, S.I., tekhnicheskiy redaktor

[History of the trade union movement in foreign countries; in the
first stage of the general crisis of capitalism] Istoriia proffirst stage of the general crisis on a pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago krisisa
solusnogo dvizhenia ma rubeshom; na pervom etape obshchago k

ARKADAKSIY, Yu.A.; BAKASHEVA, L.I.; ZHMYKHOV, I.W.; VOYTENKO, Ye.S.;

BOSHCHEMKOV, K.P.; ILYAKHIW, M.I.; KOZOL'KOV, V.A.; KRAYNOV, P.A.;

LOBANOV, V.I.; MAMEDOV, A.; MARZBAH BARWK; HODIONOV, S.R.; ROSTOVSKIY,

S.W.; BAKOVICH, V.P.; PIMEMOV, P.T.; ZHELEZHOVA, L.M., red.; ZABOROV,

M.A., red.; RAKOV, S.I., tekhn.red.

[History of the trade-union movement in foreign countries, 1939-1957]
Istoria profdvisheniis sa rubeshom; 1939-1957 gody. Isd-vo VISSS
Profisdat, No.3. 1958. 669 p. (MIRA 12:2)

l. Moscow. Moskowskaya vysshaya shkola profdvisheniya..2. Kafedra istorii profsoyusnogo dvisheniya sa rubeshom Moskovskoy vysshey shkoly profdvisheniya(for all except Zhelesnova, Zaborov, Rakov).

(Trade uniths)

Metamorphoses of nature or the story of a lizzard that declared checkmate to a caterpillar transformed into a butterfly. Nauka i checkmate 29 mo.4:111 Ap *62.

(Chess problems)

KOROL'KOV, Vladimir Aleksandrovich; PINKNOV, Petr Timofeyevich; LIVSHITS, Ya.L., red.; ATROSHCHENKO, L.Ye., tekhn.red.

[International labor movement] Mezhdunarodnoe rabochee dvizhenie. Moskva, Izd-vo "Znanie," 1959. 46 p. (Vse-soiuznoe obshchestvo po rasprostraneniiu politicheskikh i nauchnykh snanii. Ser.7. Mezhdunarodnaia, no.18)

(MIRA 12:8)

(Labor and laboring classes)

PIMENOV, Petr Timofeyevich; KOROL'KOV, Vladimir Aleksandrovich; KOPYLOVA,
L.P., red.; DROZDOV, G.N., tekhn. red.

[International trade-union movement] Voprosy mezhdunarodnogo profdvizheniia. Moskva, Izd-vo VTsSPS Profizdat, 1961. 86 p.

(MIRA 15:2)

(Trade unions)

LEZIN, V.V., prof.; MINAYEV, L.M.; KOHOL'KOV, V.A.; SHESTOVA, L.M., red.; MARTYNOVA, M.N., tekhn. red.

en in en en energamen var gemen egissest versur

["Common Market" and workers of capitalist countries]
"Obshchii rynok" i trudiashchiesia kapitalisticheskikh
stran. Moskva, Izd-vo VPSh i AON pri TsK KPSS, 1963. 289 p.
(MIRA 17:2)

1. Moscow. Akademiya obshchestvennykh nauk.

The state of the s

KONOPLEY, M.; KOROL'ROV, V.

The best shots in the All-Union Volunteer Co

The best shots in the All-Union Volunteer Society for Cooperation with the Army, Air Force, and Navy of the U.S.S.R. Voen. znan. 30 no. 8:6-7 Ag 154.

(Shooting)

SEREBRYANYY, L., KOROL'KOV, V.

Sports mastery of marksmen is developing. Voen. snan. 31 no.10: (MLRA 9:3)


1. Sud'ya Vsesoyusnoy kategorii, glavnyy sekretar' sorevnovaniy.
(Shooting contests)

Why are our marksmen losing out? Voen.znan. 31 no.6:23 Je '56.

(MIRA 9:10)

(Shooting) (Military education)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3"




Two solutions to a design problem. Voen.znan. 31 no.9:22 S '56. (Rifles) (Rifles)

VORONIN, Sergey Pavlovich; KORCL'KOV, Vyacheslav Alekseyevich;
USPENSKIY, N.M., red.; BLAZHENKOVA, G.I., tekhn.red.

[Firing air rifles] Strel'ba iz pnevmaticheskikh vintovok.
Moskva, Izd-vo DOSAAF, 1960. 100 p. (MIRA 13:7)

(Rifle practice)

त्राम्यकारः त्राप्तकारकारकारकार्यः । अस्तिवास्त्रम् । स्वतिवास्त्रम् । स्वतिवास्त्रम् । स्वतिवास्त्रम् ।



KOROL'KOV, V.

PA 1/50T95

USER/Radio - Recording Apparatus Sep 49
Recorders, Magnetic

"Amateur Recording Equipment," V. Korol'kov, 2 pp

"Radio" No 9

Thirty-five descriptions of various sound-recording devices were submitted to the Eighth
All-Union Corr Radio Exhibit. On these, 23
employed magnetic recording and only 12, mechanical recording. None of these were awarded first
prize. Second and third prizes went to Myznikov
and Bozhko (Simferopol').

1/50195

Mechanical system of sound recording Moskva, Gos. energ, 12d-vo, 1951. 79p. (Massovaia radio-biblioteka, vyp. 118) (54-18948)
TS2301.S6K6

KOROL'KOV, V. G.

Technology

Mechanical system of recording sound, Moskva, Gos. energ. izd-vo, 1951

9. Monthly List of Russian Accessions, Library of Congress, October 19537 Unclassified.

Kundal Kity V

KOROTKOV. V.

USSR/Electricity - Motors Recorders Dec 53

"The DVA-UZ Electric Motor for a Magnetic Tape Recorder," V. Korol'kov

Radio, No 12, p 52

The "DVA-UZ" is a standardized, single phase, ac motor of the third type which is rated at 220 v, 50 cps, and 90 w input, at 1430 rpm. Windings are insulated with viniflex type PEV-2 insulation.

Motor can be used to drive 3-motor type recorder (MEZ-8a), single-motor type ("Dnepr-3"), and phonoturntables (78 or 33 1/3 rpm). Need for increased production of recording heads and tape for mass sale is noted.

276T17

Electronics - Magnetic tape recorders USSR/

Card 1/1 . Pub. 89 - 22/28

Authors Korol'kov, V.

Application of magnetic recording devices in the people's economy

Periodical Radio 1, 49-51, Jan 1954

一個ないないとは、「大きなない」というできませんが、

Abstract The application of magnetic recording devices, magnetophones, for studying various physical processes is discussed. Diagrams.

Institute:

Title

Submitted:

APPROVED: FQR, RELEASE: 06/14/2000 CIA-RDP86-00513R000824820013-3

> Magnetic tape recording. Radio no.8:40-42 Ag 154. (MIRA 7:8) (Magnetic recorders and recording)

USSR/Electronics - Sound recording

Card

: 1/1 Pub. 89 - 20/24

Authors

: Korol'kov, V. and Kamenetsky, Yu.

Title

. Sound recording

Periodical

Radio 6, 49 - 52, June 1954


Abstract

A brief history of sound recording is given. It is claimed that a Russian scientist—Academician Kratsenshtein—experimented with mechanical sound recording one-hundred years before Edison. The following systems of sound recording, their gradual development and the latest improvements are described; namely, the mechanical, optic, magnetic, and electrical systems. A prognosis is made on the further development of and the uses to which sound-recording systems will be put in the service of industry and management. Diagrams; illustrations.

Institution

- : ..

Submitted



KOROL'KOV, K. USSR/ Electronics - Recording equipment Card 1/1 Pub. 89 - 25/30 Authors * Vysotskiy, M. and Korol'kov, V. Title The "Synchrophone MEZ-13" synchronizer Periodical : Radio 3, 55 - 56, Mar 1955 Abstract An explanation is given of some of the technical principles of the "Synchrophone MEZ-13", designed for synchronizing the magnetic recording of sound to be used at different stages in the production of moving pictures where synchronization with some recording process is required. Illustrations; drawings; graphs. Institution: Submitted

Subject : USSR/Electronics AID P - 5020

Card 1/1

Pub. 89 - 5/14

Author

Korol'kov, V. and V. Sher

Title

Dictaphones

Periodical

: Radio, #9, 29-31, S 1956

Abstract

: The authors give a detailed description of the structure and principles of operation of a few types of apparatus for magnetic recording and reproducing of sound. Four

Institution: None

Submitted

: No date

USSR/ Electronics - Sound recording

Card 1/1 Fub. 89 - 22/31

Authors

* Korol'kov, V.

Title


Methods for connecting the sound-recording projector head

Periodical : Radio 11, 40-42, Nov 1954

Abstract

The following three methods of connecting a high-ohm sound recording projector head in sound systems are discussed: 1) a "direct connection" method in which the projector head winding is connected directly to the control grid of the tube of the first amplification stage; 2) an "intermediate" method in which a resistance "R₁" is applied to the rojector head for the purpose of correcting the sound frequency characteristics of the system and 3) a composite system combining the first and the second method. Frequency-correction and interference - elimination in the first method (direct connection) is obtained by means of inserted resonant cavities. The advantages and disadvantages of the above system are analyzed. Diagrams; graphs.

Institution: ...
Submitted: ...



KOROLI KOV. I. O.

Scientific and technical conference on the use of magnetic sound recording in radiobroadcasting. Priborostroenie no.3:29 Mr '57.

(MLRA 10:5)


(Sound--Recording and reproducing) (Radiobroadcasting)

Tap	Tape recorders at the Paris fair. Radio no.10:51-52 0 '57. (MIRA 10:10)					
	(ParisMagnetic recorders and recordingExhibitions)					
•						

BEKTABEGOV, Aleksey Konstantinovich; KCECL'KOV, V.G., red.; LARIOBOV, G.Ye., tekhn. red.

[Phonograph pickups] Zvukosnimateli. Moskva, Gos. energ. izd-vo, 1958. 39 p. (Massovaia radiobiblioteka, no.296). (MIRA 11:9)

(Phonograph)



スペイン・マース・スペース・スペース・スペースを表現を必要がある。 マース・スペース・スペース・スペース・スペースを表現を必要がある。 マース・スペース・スペース・スペース・スペースを表現を必要がある。

KOROL'KOY, Vadim Georgipavich; TARASOV, F.I., red.; LARIONOV, G.Ye., tekhn.red.

[Electric circuits of magnetic sound recorders] Elektricheskie skhemy magnitofonov. Moskva. Gos.energ.isd-vo. 1959. 127 p. (Massovaia radiobiblioteka. no.339). (MIRA 13:2) (Magnetic recorders and recording)

GURKA, Miroslav [Hurka, Miroslav], inzh.; KOLESNIKOV, A.I. [translator];
KOROL'KOV, V.G., red.; LARIONOV, G.Ye., tekhn.red.

[Magnetic tape recorder] Magnitofon. Moskva, Gos.energ.izd-vo,
1960. 171 p. (Massovaia radiobiblioteka, no.)60). Translated
from the Czech.

(MIRA 13:9)

(Magnetic recorders and recording)

VASIL'YEV, Gennadiy Aleksandrovich; KOROL'KOV, V.G., red.; BORUNOV, N.I., tekhm. red.

[Sound recording on celluloid disks] Zapis' zvuka na tselluloidnykh diskakh. Moskva, Gos. energ. izd-vo, 1961. 79 p. (Massovaia radio-biblioteka, no.411) (MIRA 14:9) (Phonorecords)

GALKIN, David Isayevich; KONONOVICH, Lev Mironovich; KOROL'KOV, Vadim Georgiyevich; KUZ'MINOV, A.I., red.; LARIONOV, G.Ye., tekhn. red.

[Stereophonic broadcasting and sound recording] Stereofonicheskoe radioveshchanie i zvukozapis'. Moskva, Gosenergoizdat, 1962. 126 p. (Massovaia radiobiblioteka, no.436) (MIRA 15:6) (Radiobroadcasting) (Acoustical engineering) (Magnetic recorders and recording)

YAKUBASHK, Gagen [Jakubaschk, Hagen]; FLEYSHER, S.M.[translator]; KOHOL'KOV, V.G., red.; YEMZHIN, V.V., tekhn. red.

[Magnetic tape-recording techniques]Praktika magnitnoi zvukozapisi. Moskvu, Gosenergoizdat, 1962. 31 p. (Massovaia radiobiblioteka, no.435) (MIRA 15:11) (Magnetic recorders and recording)

BORISOV, Yevgeniy Georgiyevich; SAMODUROV, Dmitriy Vasil'yevich;
KOROL'KOV, V.G., red.; BUL'DYAYEV, N.A., tekhn. red.

[Equipment for sound scoring of amateur films] Appratura
dlia ozvuchivaniia liubitel'skikh fil'mov. Moskva, Gosenergoizdat, 1963. 23 p. (Massovaia radiobiblioteka,
no.461) (Amateur motion pictures)

(Sounds—Recording and reproducing)

KURBATOV, Nikolay Vladimirovich; YANOVSKIY, Yevgeniy Borisovich; KOROL'KOV, V.G., red.; BUL'DYAYEV, N.A., tekhn. red.

[Handbook on magnetic tape recorders] Spravochnik po magnitofonam. Moskva, Gosenergoizdat, 1963. 60 p. (MIRA 16:6) (Magnetic recorders and recording—Handbooks, manuals, etc.)

KOROL KOV, V.G.

Analysis of an automatic gain control network using a transistor diode. Trudy VNAIZ no.10:65-70 162.

Time characteristics of a voltage doubling rectifier circuit. 71-75

Mochanical contact of a magnetic tape with a pickup head.
76-80 (MIRA 16:11)

VASILEVSKIY, Yuriy Antonovich; KOROL'KOV, V.G., red.; LARIONOV, G.Ye., tekhn. red.

[Techniques of magnetic sound recording] Praktika magnitnoi zapisi zvuka. Moskva, Gosenergoizdat, 1963. 23 p. (Massovaia radiobiblioteka, no.484) (MIRA 17:4)

APOLLONOVA, Lyubov' Pavlovna; SHUMOVA, Nina Dmitriyevna;
KOROL'KOV, V.G., red.

[Mechanical sound recording] Mekhanicheskaia zvukozapis'.
Moskva, Energiia, 1964. 240 p. (MIRA 17:12)

LABUTIN, Vadim Konstantinovich. Prinimal uchastiye KOhOLYKOV, V.G.; PLENKIN, Yu.I., red.

Company and a state of the stat

[Radio repairman's handbook] Kniga radiomastera. Izd.3., perer. i dop. Moskva, Energiia, 1964. 527 p. (Massovala radiobiblioteka, no.543) (MIRA 18:3)

BEKTABEGOV, Aleksey Konstantinovich; USACHEV, Vadim Vasil'yevich; KOROL'KOV, V.G., red.

a same and a superior of the same and a same

[Stereophonic sound pickups] Stereofonicheskie zvukosnimateli. Moskva, Energiia, 1964. 38 p. (Massovaia radiobiblioteka, no.552) (MIRA 18:9)

KOROL'KOV, V.I., inzhener; FURMAN, K.S., inzhener.

Conference on the use of radioisotopes. Priborostroenie no.7:31-32
(MIRA 10:9)

(MOSCOW--Radioisotopes--Industrial application)

KOROL'KOV, V. I.

Korol'kov, V. I. Electric safety measures in industrial enterprises Kiev oborongiz, 1940.

151 p. TK152.K6

MCRCLKOV, V.I.

Category: USSR/General Problems - Method and Technique of Investigation A-4

Abs Jour : Ref Zhur - Fizika, No 2, 1957, No 2897

Author : Korol'kov, V.I., Sokolov, A.A.

Title : Hungarian Instrument Building Exhibition of 1955.

Orig Pub : Izmerit. tekhnika, 1956, No 3, 88-90

Abstract : The exhibition contained electronic instruments used in electrical

engineering, radio, chemistry, medicine, metallurgy, and agriculture, as well as laboratory equipment and means of automation and control. Brief descriptions are given for several measuring instruments.

Card : 1/1